Page 1 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: Product Code: 4707A / F47-3241

IC1228-0202

**SECTION 1** IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank BCI-6M

4707A / F47-3241 **Product Code:** 

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph# 03-3758-2111

Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USA Supplier:

Phone #: 1-800-OK-CANON 24 Hr. Emergency CHEMTREC No. 1-800-424-9300

SECTION 2	COMPOSITION/INFORMATION ON INGREDIENTS
< Ingredient(s) >	

< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m³	$TWA = 20 \text{ ppm},$ $52 \text{ mg/m}^3$ $STEL = 40 \text{ ppm},$ $104 \text{ mg/m}^3$	10 ppm, 26 mg/m <sup>3</sup>
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m <sup>3</sup>
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F/R11 Xi/R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 200 ppm, 492 mg/m <sup>3</sup> STEL = 400 ppm, 984 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>
Quinoline derivative	Confidential	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Triazine derivative	Confidential	1 - 3	Xi / R36 R52/53	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

Date of Issue: Revised: December 22, 2000 February 13, 2004

Page 2 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1228-0202 Product Code: 4707A / F47-3241

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

## **EU Classification:**

Not classified as dangerous.

# **Emergency Overview:**

Ink tank containing magenta liquid ink with slight odor.

## **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eve:

May cause minimal irritation. (See SECTION 11)

#### Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

#### **Chronic Effects:**

Not identified

## Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

## SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

## Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

## **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

 $Immediately \ flush \ with \ lukewarm, \ gently \ flowing \ water \ for \ 5 \ minutes \ or \ until \ the \ chemical \ is \ removed.$ 

If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

# Note to Physicians:

None

Page 3 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1228-0202 Product Code: 4707A / F47-3241

Eine Eighting Maganna	GHTING MEASURES			
Fire Fighting Measures:				
<b>Extinguishing Media:</b>				
CO <sub>2</sub> , water, foam or dr	y chemicals			
Unsuitable Extinguishin	g Media:			
None				
Special Fire Fighting Pro	ocedures:			
None				
Unusual Fire and Explos	sion Hazards:			
None				
Fire and Explosive Propertie				
Hazardous Combustion	Products:			
CO, CO <sub>2</sub> and NOx				
Other Properties:				
None				
SECTION 6 ACCIDE	ENTAL RELEASE MEASURES			
Personal Precautions:				
Avoid contact with skin, ey	ves and clothing.			
Environmental Precautions:				
	urface water or ground water.			
Method for Cleaning Up:				
Wipe off with wet cloth or	paper.			
SECTION 7 HANDLI	ING AND STORAGE			
Handling:				
Use with adequate ventilation.				
	Avoid contact with skin, eyes and clothing.			
In case of contact, wash ou	yes and clothing.  It the contaminated area immediately.			
In case of contact, wash ou Storage:	tt the contaminated area immediately.			
In case of contact, wash ou  Storage: Keep in a cool and dry place	tt the contaminated area immediately.  ce. Protect from sunlight.			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and f	te the contaminated area immediately.  ce. Protect from sunlight. flame.			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che	te the contaminated area immediately.  ce. Protect from sunlight. flame.			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and f	te the contaminated area immediately.  ce. Protect from sunlight. flame.			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer.	te the contaminated area immediately.  ce. Protect from sunlight. flame.			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer.  For more information, plea	ce. Protect from sunlight. flame. nildren.  ase refer to the instruction of this product.			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer. For more information, pleases  SECTION 8 EXPOSE	ce. Protect from sunlight. flame. nildren.			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer.  For more information, plea	ce. Protect from sunlight. flame. nildren.  DRE CONTROLS / PERSONAL PROTECTION			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer. For more information, pleat  SECTION 8 EXPOSU  Exposure Guidelines: Not established for this information Controls:	ce. Protect from sunlight. flame. nildren.  DRE CONTROLS / PERSONAL PROTECTION			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer. For more information, pleat  SECTION 8 EXPOSU  Exposure Guidelines: Not established for this interest.	ce. Protect from sunlight. flame. nildren.  DRE CONTROLS / PERSONAL PROTECTION			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer. For more information, pleat  SECTION 8 EXPOSU  Exposure Guidelines:  Not established for this information.  Engineering Controls: Use adequate ventilation.  Personal Protection Equipment	te. Protect from sunlight.  flame.  nildren.  Asse refer to the instruction of this product.  URE CONTROLS / PERSONAL PROTECTION  k. (See also SECTION 2)			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer.  For more information, pleat  SECTION 8 EXPOSE  Exposure Guidelines:  Not established for this information.  Use adequate ventilation.	te. Protect from sunlight.  flame.  nildren.  ase refer to the instruction of this product.  URE CONTROLS / PERSONAL PROTECTION  k. (See also SECTION 2)  nent(s):  Required			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer.  For more information, pleat  SECTION 8 EXPOSU  Exposure Guidelines:  Not established for this information.  Engineering Controls:  Use adequate ventilation.  Personal Protection Equipmate Respiratory Protection:	the contaminated area immediately.  ce. Protect from sunlight. flame. nildren.  asse refer to the instruction of this product.  URE CONTROLS / PERSONAL PROTECTION  k. (See also SECTION 2)  nent(s):  Required  Not Required			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer. For more information, pleat  SECTION 8 EXPOSU  Exposure Guidelines:  Not established for this information.  Engineering Controls: Use adequate ventilation.  Personal Protection Equipment	the contaminated area immediately.  ce. Protect from sunlight. flame. nildren.  ase refer to the instruction of this product.  URE CONTROLS / PERSONAL PROTECTION  k. (See also SECTION 2)  nent(s):  Required  Not Required  Required			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer.  For more information, pleat  SECTION 8 EXPOSU  Exposure Guidelines:  Not established for this information.  Personal Protection Equipment Respiratory Protection:  Eye/Face Protection:	the contaminated area immediately.  ce. Protect from sunlight. flame. flame. nildren.  ase refer to the instruction of this product.  URE CONTROLS / PERSONAL PROTECTION  k. (See also SECTION 2)  nent(s):  Required  Not Required  Required  Not Required  Not Required			
In case of contact, wash out  Storage:  Keep in a cool and dry place Keep away from heat and for the reach of che  Specific Uses:  Ink for Ink Jet Printer.  For more information, pleat  SECTION 8 EXPOSU  Exposure Guidelines:  Not established for this information.  Engineering Controls:  Use adequate ventilation.  Personal Protection Equipmate Respiratory Protection:	the contaminated area immediately.  ce. Protect from sunlight.  flame.  nildren.  ase refer to the instruction of this product.  URE CONTROLS / PERSONAL PROTECTION  k. (See also SECTION 2)  nent(s):  Required  Not Required  Required			

Page 4 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1228-0202 Product Code: 4707A / F47-3241

SECTION 9 PHYSICAL AND CH	HEMICAL PROPERTIES
Appearance:	Magenta liquid
Odor:	Slight odor
pH:	9 - 10.5
<b>Boiling Point/Range(°C):</b>	Not available
<b>Melting Point/Range(°C):</b>	Not available
<b>Decomposition Temperature</b> (°C):	Not available
Flash Point(°C):	Estimate: 55 - 57 (Tag. Closed Cup. Combustion is not sustainable.)
Flammable (Explosive) Limits:	Not available
Autoignition Temperature ( $^{\circ}$ C):	Not available
Flammability:	Classified as "combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.
<b>Explosive Properties:</b>	None
Oxidizing Properties:	None
Vapor Pressure :	Not available
Vapor Density:	Not available
<b>Density / Specific Gravity:</b>	1.04 - 1.10
Water Solubility:	Miscible
Fat Solubility:	Not available
Partition Coefficient (n-Octanol/Water):	Not available
Percent Volatile (%):	60 - 80
<b>Evaporation Rate:</b>	Not available
Viscosity (mPa s):	1 - 3
SECTION 10 STABILITY AND R	EACTIVITY
Stability:	■ Stable     □ Unstable
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and Ammonia
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur
Conditions to Avoid:	None

Page 5 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1228-0202

Product Code: 4707A / F47-3241

## SECTION 11 TOXICOLOGICAL INFORMATION

## **Acute Toxicity:**

## **Inhalation:**

Not available

## **Ingestion:**

[Data of similar composition ink]

Estimated  $LD_{50} > 2500 \text{ mg/kg (rat)}$ 

OECD Guidelines No.423 (1996)

96/54/EC Method B1 tris

## Eye:

[Data of similar composition ink]

Minimal irritant (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

## Skin:

[Data of similar composition ink]

Mild irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

## **Sensitization:**

[Data of similar composition ink]

Non-sensitizer (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

## **Mutagenicity:**

Ames test: Negative (test strains: S. typhimurium & E. Coli)

## **Reproductive Toxicity:**

Not available

# Carcinogenicity:

Not available

## Others:

Not available

Page 6 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1228-0202 Product Code: 4707A / F47-3241

SECTION 12	ECOLOGICAL INFORMATION
<b>Mobility:</b>	Not available
Persistence / Degradability:	Not available
<b>Bioaccumulation:</b>	Not available
<b>Ecotoxicity:</b>	Not available
Other Adverse Effe	cts: Not available
Method of Disposal	DISPOSAL CONSIDERATION: te subject to federal, state and local laws.
SECTION 14	TRANSPORT INFORMATION
UN #:	None
UN Shipping Name	None
UN Classification:	None
<b>UN Packing Group:</b>	None
Marine Pollutant:	☐ Yes Chemical name (wt%):  ☒ No
<b>Special Precautions</b>	: None
< EU Information > Information on the	
R-Phrase:  Not required	auon: Not required
S-Phrase: Not required	
None None	aponent(s):
Special Precauti Not required	ions under 1999/45/EC Annex V:
Specific Provisions i	n Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000:	Not regulated
(EC)304/2003:	Not regulated
Others:	None

Page 7 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1228-0202 Product Code: 4707A / F47-3241

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

None

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 2 - 6

**California Proposition 65:** 

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness or dizziness.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

Section 9



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1228-0202 Product Code: 4707A / F47-3241

### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### **Abbreviations:**

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.